- features -

LiftAll®
PRODUCTS FOR BETTER LIFTING



Ply	Rated Capacity			Width (in.)	Length (ft.)	*Lift-All* Part Number	AIS Part Number	Price $
	Vertical	Choker	Basket					
***TUFF-EDGE*® III**								
2-Ply	6,400	5,000	12,800	2	4	EE2802TFX4	LIFEE2-802TX4	19.00
					6	EE2802TFX6	LIFEE2-802TX6	24.50
					8	EE2802TFX8	LIFEE2-802TX8	30.00
					10	EE2802TFX10	LIFEE2-802TX10	35.50
					12	EE2802TFX12	LIFEE2-802TX12	41.00
					16	EE2802TFX16	LIFEE2-802TX16	52.00
					20	EE2802TFX20	LIFEE2-802TX20	63.00
***WEBMASTER*® 1600**								
2-PLY	6,400	5,000	12,800	2	2	EE2802NFX2	LIFEE282X2	12.50
				2	3	EE2802NFX3	LIFEE282X3	15.00
				2	4	EE2802NFX4	LIFEE282X4	17.50
				2	6	EE2802NFX6	LIFEE282X6	22.50
				2	8	EE2802NFX8	LIFEE282X8	27.50
				2	10	EE2802NFX10	LIFEE282X10	32.50
				2	12	EE2802NFX12	LIFEE282X12	38.00
				2	14	EE2802NFX14	LIFEE282X14	43.00
				2	16	EE2802NFX16	LIFEE282X16	48.00
				2	18	EE2802NFX18	LIFEE282X18	53.00
				2	20	EE2802NFX20	LIFEE282X20	58.00
				2	30	EE2802NFX30	LIFEE282X30	83.50
	8,800	7,040	17,600	3	4	EE2803NFX4	LIFEE283X4	27.50
				3	8	EE2803NFX8	LIFEE283X8	44.00
				3	10	EE2803FNX10	LIFEE283X10	52.00
				3	12	EE2803NFX12	LIFEE283X12	60.50
				3	16	EE2803NFX16	LIFEE283X16	76.50
				3	20	EE2803NFX20	LIFEE283X20	93.00
	11,500	9,200	23,000	4	10	EE2804NFX10	LIFEE284X10	69.50
				4	12	EE2804NFX12	LIFEE284X12	80.00
				4	16	EE2804NFX16	LIFEE284X16	101.00
				4	18	EE2804NFX18	LIFEE284X18	111.50
				4	20	EE2804NFX20	LIFEE284X20	122.50
4-PLY	19,800	15,800	39,600	4	10	EE4804NFX10	LIFEE484X10	141.00
				4	12	EE4804NFX12	LIFEE484X12	163.50

Call today for volume discounts!

Your Local source for Tools & Supplies since 1945

AIS
INDUSTRIAL & CONSTRUCTION SUPPLY

3900 Ulster Street
Denver, Colorado 80207
303-355-2391

www.aisind.com

- features -

LiftAll®
PRODUCTS FOR BETTER LIFTING

Tuflex® Roundslings - The Best Performing Synthetic Sling Available

- Good for low headroom lifts.
- Color-coded capacities for quick identification.
- Wear points can be shifted to extend sling life.
- Lightweight and pliable for easy rigging and storage.
- Conforms to shape of load to grip securely.
- Low stretch – about 3% at rated capacity.

Call today for volume discounts!

Color	Rated Capacity			Length (ft.)	*Lift-All* Part Number	AIS Part Number	Price $
	Vertical	Choker	Basket				
Purple	2,600	2,100	5,200	3	EN30X3	LIFEN30X3	11.50
				6	EN30X6	LIFEN30X6	19.00
				8	EN30X8	LIFEN30X8	24.50
Green	5,300	4,200	10,600	4	EN60X4	LIFEN60X4	17.00
				8	EN60X8	LIFEN60X8	30.50
Yellow	8,400	6,700	16,800	8	EN90X8	LIFEN90X8	41.00
				10	EN90X10	LIFEN90X10	50.00
				12	EN90X12	LIFEN90X12	59.50
Red	13,200	10,600	26,400	10	EN150X10	LIFEN150X10	74.50
				12	EN150X12	LIFEN150X12	88.00
				20	EN150X20	LIFEN150X20	143.00
Blue	21,200	17,000	42,400	8	EN240X8	LIFEN240X8	96.00
				10	EN240X10	LIFEN240X10	118.50
				12	EN240X12	LIFEN240X12	141.00
				14	EN240X14	LIFEN240X14	163.00
				16	EN240X16	LIFEN240X16	185.50
				20	EN240X20	LIFEN240X20	230.50
				30	EN240X30	LIFEN240X30	342.50

*** Please call or sizes not listed.**

Your Local source for Tools & Supplies since 1945

AIS
INDUSTRIAL & CONSTRUCTION SUPPLY

3900 Ulster Street
Denver, Colorado 80207
303-355-2391

www.aisind.com

- features -

Call today for volume discounts!

LiftAll®
PRODUCTS FOR BETTER LIFTING

Permaloc® Wire Rope Slings

Diameter (in.)	Rated Capacity (tons)			Length (ft.)	*Lift-All* Part Number	AIS Part Number	Price $
	Vertical	Choker	Basket				
3/8	1.4	1.1	2.9	4	38IEEX4	WRSEE3/8X4	12.00
				6	38IEEX6	WRSEE3/8X6	14.00
				8	38IEEX8	WRSEE3/8X8	16.00
				10	38IEEX10	WRSEE3/8X10	18.00
				20	38IEEX20	WRSEE3/8X20	27.50
1/2	2.5	1.9	5.1	4	12IEEX4	WRSEE1/2X4	19.50
				6	12IEEX6	WRSEE1/2X6	22.50
				8	12IEEX8	WRSEE1/2X8	25.00
				10	12IEEX10	WRSEE1/2X10	28.00
				12	12IEEX12	WRSEE1/2X12	31.00
				20	12IEEX20	WRSEE1/2X20	42.50
5/8	3.9	2.9	7.8	4	58IEEX4	WRSEE5/8X4	30.00
				6	58IEEX6	WRSEE5/8X6	34.50
				8	58IEEX8	WRSEE5/8X8	39.00
				10	58IEEX10	WRSEE5/8X10	43.00
				12	58IEEX12	WRSEE5/8X12	47.50
3/4	5.6	4.1	11	6	34IEEX6	WRSE3/4X6	53.50
				8	34IEEX8	WRSE3/4X8	60.00
				10	34IEEX10	WRSE3/4X10	66.50
				12	34IEEX12	WRSE3/4X12	73.00
				20	34IEEX20	WRSE3/4X20	98.50

*** Please call or sizes not listed**

Load Hugger™ Cargo Control

Ultimate Breaking Strength (lbs.)	Working Load Limit (lbs.)	Web Width (in.)	End Fitting	Length (ft.)	*Lift-All* Part Number	AIS Part Number	Price $
RATCHET ASSEMBLIES							
2,100	700	1	Coated Open Hook	15	6A103	LIF6A103	11.50
10,000	3,300	2	Flat Hooks	27	61001	LIF61001	20.00
			U-Hooks		26422	LIF26422	20.00
15,000	5,000	4	Flat Hooks		26424	LIF26424	42.00
WINCH STRAP							
15,000	5,000	4	Flat Hooks	30	61201	LIF61201	114.50



Your Local source for Tools & Supplies since 1945

AIS
INDUSTRIAL & CONSTRUCTION SUPPLY

3900 Ulster Street
Denver, Colorado 80207
303-355-2391

www.aisind.com

- features -

LiftAll®
PRODUCTS FOR BETTER LIFTING

Web *Hose Halters*™

Call today for volume discounts!

Hose Halter Selection and Use

When securing hoses and pipe connections do not exceed the specified pressure ratings. The length of *Hose Halters* are ordered as a flat length based on a value equal to 8 times the Hose OD, plus the desired span or gap between the choke points and rounded up to standard sizes shown below.

Available in Four Different Strengths



Part #	Length (L)	Recommended for Use on the following Pipe and Hose Inside Diameters								AIS Part Number	Price $
		1/4"	1/2"	3/4"	1"	2"	3"	4"	6"		
* Minimum Lengt		Hose Maximum Internal Pressure (PSI) at above Hose I.D.									
HH130	30"	26,000	6,500	2,900	1,650	400	–	–	–	LIFHH130	8.00
HH230*	30"	52,000	13,000	5,800	3,300	750	–	–	–	LIFHH230	12.00
HH264	64"	–	–	–	–	750	350	200	90	LIFHH264	17.00

ROUNDONE™



Part #	AIS Part Number	Price $
HHS12X3.5	LIFHHS12X3.5	18.50

Pipe I.D.	P.S.I.
0.50"	23,500
0.75"	10,400
1"	5,800
1.5"	2,600
2"	1,470
3"	650
4"	360
5"	230
6"	160
8"	90

RoundOne pipe and *Hose Halter*s offer protection for a wide range of pipe and hose sizes and pressures. Suitable for use on pneumatic, water, and hydraulic pipes and hoses. Available sizes cover inside diameters from 1/2" through 8", with pipe/hose pressures up to 85,100 psi. Complies with OSHA, Canada OHS and Work Safe BC requirements for restraining devices on pipe and hose connections.

Your Local source for Tools & Supplies since 1945

AIS
INDUSTRIAL & CONSTRUCTION SUPPLY

3900 Ulster Street
Denver, Colorado 80207
303-355-2391
www.aisind.com

- features -

LiftAll®
PRODUCTS FOR BETTER LIFTING

Lever Chain Hoist

Call today for volume discounts!

- Easy one hand operation and set up.
- Operates in any orientation.
- Non-slip rubber grip lever and 360° rotation require minimal space for operation with 20 to 30% less pull force than other brands.
- Powder-coated and plated finishes resist corrosion.
- Fully enclosed gearing to protect from contamination.
- The automatic Weston style mechanical load brake will react to the inertia of a descending load.
- Drop forged alloy hooks are designed to stretch before chain failure when overloaded and are equipped with cast steel safety latches.
- The top hook mounting articulates to aid in rigging and helps ensure straight line loading between hooks.

Part Number	LIFT	WLL	Description	Net Price
LCH008X5	5’	3/4-TON	3/4 TON LEVER CHAIN HOIST IMP	$ 258.00
LCH008X10	10’			$ 282.00
LCH008X20	20’			$ 327.00
LCH015X5	5’	1.5-TON	1.5 TON LEVER CHAIN HOIST IMP	$ 321.50
LCH015X10	10’			$ 350.50
LCH015X20	20’			$ 408.00
LCH030X5	5’	3-TON	3 TON LEVER CHAIN HOIST IMP	$ 476.50
LCH030X10	10’			$ 521.00
LCH030X20	20’			$ 610.00
LCH060X5	5’	6-TON	6 TON LEVER CHAIN HOIST IMP	$ 777.00
LCH060X10	10’			$ 866.00
LCH060X20	20’			$ 1,044.50

Meets ASME B30, OSHA 1915.114, and NASA-STD-8719.9.

Your Local source for Tools & Supplies since 1945

AIS
INDUSTRIAL & CONSTRUCTION SUPPLY

3900 Ulster Street
Denver, Colorado 80207
303-355-2391

www.aisind.com

- features -

LiftAll®
PRODUCTS FOR BETTER LIFTING

Manual Chain Hoist

Call today for volume discounts!

- Perfect for low-headroom lift.
- Powder-coated housing and hooks to protect from corrosion.
- Fully enclosed gearing.
- All gears and shafts run on caged roller bearings for smooth operation and long life.
- Weston style mechanical load brake is self-adjusting, and is enclosed to limit contamination.
- Drop forged alloy hooks with a heavy-duty cast steel safety latches.
- The top hook mounting articulates to aid in rigging and help ensure straight line loading between hooks.
- Hand chains are zinc plated.

Meets ASME B30, OSHA 1915.114, and NASA-STD-8719.9.

Part Number	LIFT	WLL	Description	Net Price
MCH005X10	10’	1/2 TON	1/2 TON MANUAL CHAIN HOIST IMP	$ 181.00
MCH005X20	20’			$ 262.50
MCH005X30	30’			$ 344.00
MCH010X10	10’	1 TON	1 TON MANUAL CHAIN HOIST IMP	$ 203.50
MCH010X20	20’			$ 285.00
MCH010X30	30’			$ 366.00
MCH015X10	10’	1-1/2 TON	1-1/2 TON MANUAL CHAIN HOIST IMP	$ 277.00
MCH015X20	20’			$ 371.50
MCH015X30	30’			$ 466.00
MCH020X10	10’	2 TON	2 TON MANUAL CHAIN HOIST IMP	$ 327.00
MCH020X20	20’			$ 423.50
MCH020X30	30’			$ 516.00
MCH030X10	10’	3 TON	3 TON MANUAL CHAIN HOIST IMP	$ 471.00
MCH030X20	20’			$ 623.50
MCH030X30	30’			$ 775.50
MCH050X10	10’	5 TON	5 TON MANUAL CHAIN HOIST IMP	$ 665.50
MCH050X20	20’			$ 880.50
MCH050X30	30’			$ 1,096.00
MCH100X10	10’	10 TON	10 TON MANUAL CHAIN HOIST IMP	$ 1,731.00
MCH100X20	20’			$ 2,124.50
MCH100X30	30’			$ 2,518.50

Your Local source for Tools & Supplies since 1945

AIS
INDUSTRIAL & CONSTRUCTION SUPPLY

3900 Ulster Street
Denver, Colorado 80207
303-355-2391

www.aisind.com

- features -

LiftAll®
PRODUCTS FOR BETTER LIFTING

Direct Connect Hooks

Direct Connect hooks are the quickest and easiest way to add hooks to *Tuflex*® roundslings and web slings at your job site. No tools or extra parts are needed.

For *Tuflex* slings, just match the color-coded hook to the same color *Tuflex* sling, and you are ready to go. Rated capacities are the same for both the hook and the *Tuflex* roundsling.

Features and Benefits

- **Rugged** - The alloy steel hook and latch are forged for superior toughness.
- **Color-Coded** - Hook matches *Tuflex* color and capacity for easy identification.
- ***Tuflex*** - Four hook sizes to match *Tuflex* sizes EN30 (Purple), EN60 (Green), EN90 (Yellow) and EN150 (Red).
- **Web Slings** - Can be used with 1" and 2" web slings (see chart below). Hook ratings should equal or exceed sling ratings as used.



Lift-All Part Number	Color	Rated Capacity (lbs.)	*Tuflex*	Web Slings		R (in.)	E (in.)	T (in.)	Price
				Width	Plies				
DCH1	Purple	2,600	EN30	1	1	3.38	1.56	0.91	$ 81.00
DCH2	Green	5,300	EN60	1	2	4.00	1.75	1.28	$ 106.50
DCH3	Yellow	8,400	EN90	2	1 & 2	4.63	2.13	1.40	$ 148.50
DCH4	Red	13,200	EN150	-	-	5.75	2.34	1.83	$ 360.50

Your Local source for Tools & Supplies since 1945

A·I·S
INDUSTRIAL & CONSTRUCTION SUPPLY

3900 Ulster Street
Denver, Colorado 80207
303-355-2391

www.aisind.com